

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Paul Boyle *et al.*
Patent No. : 7,498,570
Issue Date : March 3, 2009
Serial No. : 10/571,871
Filed : March 15, 2006

Art Unit : 2881
Examiner : Meenakshi S. Sahu
Conf. No. : 6891

Title : ION MOBILITY SPECTROMETER

Attn.: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

TRANSMITTAL OF REQUEST FOR CERTIFICATE OF CORRECTION

Applicants hereby request that a certificate of correction be issued for the patent referenced above in accordance with the attached request.

The error sought to be corrected was made in printing by the Patent and Trademark Office, and no fee is believed to be due.

Please apply any charges or credits to Deposit Account No. 06-1050, referencing Attorney Docket No. 20511-0002US1.

Respectfully submitted,

Date: May 26, 2009



Lee Crews, Ph.D.
Reg. No. 43,567

Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110
Telephone: (617) 542-5070
Facsimile: (877) 769-7945

22174870.doc

CERTIFICATE OF MAILING BY EFS-WEB FILING

I hereby certify that this paper was filed with the Patent and Trademark Office using the EFS-WEB system on this date: May 26, 2009

Staple
Here
Only

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT No. .: 7,498,570
APPLICATION NO .: 10/571,871
DATED .: MARCH 3, 2009
INVENTOR(S) .: PAUL BOYLE *et al.*

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On page 1 (the face of the patent), at column 1, (73) Assignee:
delete "Owistone" and replace with --Owlstone--.

MAILING ADDRESS OF SENDER:

Lee Crews, Ph.D.
Fish & Richardson P.C.
P.O. Box 1022
Minneapolis, Minnesota 55440-1022